

Path to Home Guide: Bowel Surgery



| | Day of Surgery | 1 Day After Surgery | 2 Days After Surgery | 3 Days After Surgery |
|--------------------------|--|---|---|---|
| Deep Breathing Exercises | ☐ Do deep breathing exercises | ☐ Do deep breathing exercises | ☐ Do deep breathing exercises | ☐ Do deep breathing exercises |
| Activities | □ Do leg exercises□ Dangle legs at edge of bed□ Sit in a chair with help | □ Sit in a chair for meals □ Take part in personal care, as able □ Walk to the bathroom □ Walk in the hallway 3 times, with help □ Be out of bed for a total of 6 hours | □ Sit in a chair for meals □ Take part in personal care, as able □ Walk to the bathroom □ Walk in the hallway 3 times □ Be out of bed for a total of 6 hours | Sit in a chair for meals Do most of personal care Walk as much as possible Be out of bed for a total of 6 hours Go home today |
| Pain Control | May have an epidural, PCA, IV or pills for pain Tell my nurse if pain is 4 out of 10 on the pain scale (or higher) | May have an epidural, PCA, IV or pills for pain Tell my nurse if pain is 4 out of 10 on the pain scale (or higher) | □ Take pills for pain □ Have epidural catheter or PCA removed if my pain is controlled □ Tell my nurse if pain is 4 out of 10 on the pain scale (or higher) | ☐ Tell my nurse if pain is 4 out of 10 on the pain scale (or higher) |
| Nutrition | □ Drink liquids and protein drinks as tolerated□ Chew gum for 30 minutes | Drink liquids, including protein drinks Eat regular food as tolerated Have 4 to 6 small meals plus snacks Chew gum for 30 minutes, 3 times a day | Drink liquids, including protein drinks Eat regular food as tolerated Have 4 to 6 small meals plus snacks Chew gum for 30 minutes, 3 times a day | Drink liquids, including protein drinks Eat regular food as tolerated Have 4 to 6 small meals plus snacks Chew gum for 30 minutes, 3 times a day |
| Tubes and Lines | I may have: Oxygen mask or prongs (removed today) Intravenous line (IV) Epidural catheter Urinary catheter Drains | My urinary catheter may be removed today My IV will be removed when I am drinking well | My urinary catheter will be removed today, if it wasn't removed yesterday My IV will be removed when I am drinking well My epidural catheter will be removed and my pain will be managed with pills | □ None for most people. This will depend on my condition and the type of surgery I had. |

Look for the illustrated guide that is posted in your hospital room!





Read more about your recovery in your resource book
'A Guide to Enhancing Your Recovery After Bowel Surgery'


Please bring this book with you each time you visit the hospital and on the day of your surgery.

Adapted from the 'Path to Home Guide', with permission from McGill University Health Centre.

Hamilton Health Sciences, 2017 PD 9766 – 09/2017 Dpc/pted/pamp/PathHoemGuideAfterBowelSurgery-Booklet-lw.docx dt/September 29, 2017



Path to Home Guide: Bowel Surgery



This booklet describes what to expect after bowel surgery.

Please use it as a general guide, as each person's recovery may be different.

If you have questions about your recovery, please speak with a member of your health care team.