

## Going home after your Left Atrial Appendage Closure (LAAC) Device

Dr	did your procedure.
Phone:	
LAAC Office: Ann Sawchuk (905) 521-2100 ext. 41414	
Activity	
	Although you may feel fine the next day, the effects of the sedation may still be with you. Do not operate heavy equipment or power tools.
	Limit your lifting to less than 9 kilograms or 20 pounds for the next 2 to 3 days.
	You can walk or do gentle exercises when you get home. Avoid all strenuous activity for the first month after the procedure.
	Increase activity as tolerated. We recommend you walk at a pace that you are still able to talk.
	It takes most patients approximately 2 weeks to 2 months to fully recover from LAAC.
Medications	
	Aspirin 81 mg daily fordaysmonthslifelong
	Plavix (clopidogrel) 75 mg daily for
	Other anticoagulant



## Care of your access site

- Look at your access site every day.
- If you see blood or develop a lump under your bandage, apply firm pressure on the bandage for 5 minutes. If the lump is smaller than a golf ball, then contact your family doctor. If it continues to get bigger, larger than a golf ball, go to the emergency department.
- You may remove your bandage the next morning.
- You may shower the next morning. Do not soak in water, such as in a pool, hot tub or bathtub for the next 3 days.
- It is normal to have bruising or a small lump that may be tender to the touch.
- Contact the office if there is any excess discharge, progressive or spreading redness around the site and/or fever or chills.

## Follow-up

- See your family doctor in 2 to 4 weeks.
- See the cardiologist in 6 weeks.
- Our team will contact you to schedule a CT scan or transesophageal echocardiogram (TEE) and a visit in our clinic about 6 weeks post procedure.
- Do not go to the dentist for 3 to 6 months after your LAAC unless you have an abscess (infection) or toothache.

## When to take antibiotics

- Take antibiotics before each visit to the dentist. This will help prevent an infection. Your dentist or family doctor can give you a prescription for the antibiotic.
- Take antibiotics before you have any dental procedure from now on including minor surgeries or teeth cleaning.