

# How to use Chlorhexidine (CHG) Antiseptic Body Cleaning Wipes:

Important steps for preventing central line infections and surgical site infections




Chlorhexidine Wipes use as directed below  
**Use 1 wipe for each number**

- 1** 1<sup>st</sup> cloth on toddlers chest, both arms, back and neck
- 2** 2<sup>nd</sup> cloth on both legs (front and back), the groin area and then the buttocks (do **NOT** use on genitals)

Soap and water or Coloplast® No Rinse Foam Cleanser may be used on:

- face
- hair washing if required



Larger children will require additional wipes

## How to Use

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>✓ Bathe below the jawline</li> <li>✓ Use one cloth for each area</li> <li>✓ Use soap and water or Coloplast® No Rinse Foam Cleanser for face, head, genitals</li> <li>✓ Use for children greater than 2 months of age</li> </ul> | <ul style="list-style-type: none"> <li>✓ Patients up to 2 months – use soap and water</li> <li>✓ Allow 30-60 seconds to air dry</li> <li>✓ Dress in clean hospital clothing and bedding</li> <li>✓ Dispose in regular garbage</li> <li>✓ Single patient use only</li> </ul> |
|---|---|

## Don'ts

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>✗ Do not use for children with known allergy</li> <li>✗ Do not microwave</li> <li>✗ Do NOT use lotion, cream, deodorant, baby powder after using wipes</li> <li>✗ Not for use under 2 months of age</li> </ul> | <ul style="list-style-type: none"> <li>✗ Do not rinse off</li> <li>✗ Do not use for children with generalized skin breakdown (ex. Open wound, rash)</li> <li>✗ Bathe/Shower for 6 hours after CHG treatment</li> </ul> |
|---|--|

# How to use Chlorhexidine (CHG) Antiseptic Body Cleaning Wipes:

Important steps for preventing central line infections and surgical site infections




Chlorhexidine Wipes use as directed below  
**Use 1 wipe for each number**

- 1** 1<sup>st</sup> cloth on child's chest, neck, abdomen
- 2** 2<sup>nd</sup> cloth on both arms
- 3** 3<sup>rd</sup> cloth on both legs
- 4** 4<sup>th</sup> cloth on groin area (do **NOT** use on genitals)
- 5** 5<sup>th</sup> cloth on back
- 6** 6<sup>th</sup> cloth on buttocks

Soap and water or Coloplast® No Rinse Foam Cleanser may be used on:

- face
- hair washing if required



Smaller children will not require all 6 wipes

## How to Use

- |  |  |
|--|--|
| ✓ Bathe below the jawline  | ✓ Allow 30-60 seconds to air dry               |
| ✓ Use one cloth for each area  | ✓ Dress in clean hospital clothing and bedding |
| ✓ Use soap and water or Coloplast® No Rinse Foam Cleanser for face, head, genitals | ✓ Dispose in regular garbage                   |
|  | ✓ Single patient use only                      |

## Don'ts

- |  |  |
|--|--|
| ✗ Do not use for children with known allergy                         | ✗ Do not rinse off   |
| ✗ Do not microwave   | ✗ Do not use for children with generalized skin breakdown (ex. Open wound, rash) |
| ✗ Do NOT use lotion, cream, deodorant, baby powder after using wipes | ✗ Bathe/Shower for 6 hours after CHG treatment                                   |
| ✗ Not for use under 2 months of age                                  |  |